Non-Metallic Boxes
Industrial Grade - 6200 Series
Portable Power

ERICSON
SAFETY IS OUR STANDARD

Industry Leading Features:

- UL Listed & cULus Listed
- Wet and damp location listings
- Designed for FS Inlet and Outlet Receptacle Mounting
- Ruggedized TPV boxes designed for demanding worksites offering oil and chemical resistance
- Boxes complete with stainless steel hardware
- Non-Metallic Cord Grip and Deluxe Wire Mesh Strain Relief Available
- Supports a variety of electrical device installations
- Available wall mounting straps

Industry Leading, Ericson Exclusive

USA Made | UL | c UL us | WET LOCATION RATED

Unique Features:

Available in Industry Standard FD and FS Box Dimensions

Rugged construction resists abuse from, jobsite oils & chemicals

Available as feed-through for back to back receptacle mounting in pendant use

Supports several strain relief options

ericson.com

# 6200 Series Boxes - FS Series Inlet & Outlet Receptacle Mounting

| Part Number	Description	
6212FSK	Box, Std Depth, No bushing, ½" NPT	
6234FSK	Box, Std Depth, No bushing, ¾" NPT	
6210FSK	Box, Std Depth, No bushing, 1" NPT	
6212FDK	Box, Deep, No bushing, ½" NPT	
6234FDK	Box, Deep, No bushing, ¾" NPT	
6210FDK	Box, Deep, No bushing, 1" NPT	**Wall Mounting Kit** 6260WK
6212NFSK	Box, Std Depth, NM Bushing, ½" NPT	
6212NFDK	Box, Deep, NM Bushing, ½" NPT	
6212WFSK	Box, Std Depth, Wire Mesh Bushing, ½" NPT	
6212WFDK	Box, Deep, Wire Mesh Bushing, ½" NPT	
6234NFSK	Box, Std Depth, NM Bushing, ¾" NPT	
6234NFDK	Box, Deep, NM Bushing, ¾" NPT	
6234WFSK	Box, Std Depth, Wire Mesh Bushing, ¾" NPT	
6234WFDK	Box, Deep, Wire Mesh Bushing, ¾" NPT	**Std. w/ Mesh** **Open w/ Mesh**
6210NFSK	Box, Std Depth, NM Bushing, 1" NPT	
6210NFDK	Box, Deep, NM Bushing, 1" NPT	
6210NFTK	Box, Feed Through, NM Bushing, 1" NPT	
6210WFSK	Box, Std Depth, Wire Mesh Bushing, 1" NPT	
6210WFDK	Box, Deep, Wire Mesh Bushing, 1" NPT	
6210WFTK	Box, Feed Through, Wire Mesh Bushing, 1" NPT	**Deep w/ Mesh**

6200 Series Box Dimensions:

4.26 4.92

2.53

3.17

FS Standard

1.87 1.39

FT Feed Thru

1.88 1.63

FD Deep

2.62 2.14

6260 WK Wall Kit

3.75

3.25

6200 Series Box Strain Relief Kits

Outdoor Watertight Deluxe Stainless Steel Wire Mesh Strain Relief			
Size	Part Number	Cable Range	
1/2" NPT	DCG-43-F2	.31-.43	
1/2" NPT	DCG-50-F2	.37-.50	
3/4" NPT	DCG-50-F3	.37-.50	
3/4" NPT	DCG-62-F3	.50-.62	
3/4" NPT	DCG-75-F3	.62-.75	
1" NPT	DCG-75-F4	.62-.75	
1" NPT	DCG-87-F4	.75-.87	
1" NPT	DCG-100-F4	.87-1.0	

Nonmetallic Cord Grips Kit *(Includes cord grip insert, grip nut, and lock nut)*			
Non-Metallic Cord Grip	Part Number	Cable Range	
1/2" NPT	82005	.37-.61	
1/2" NPT	82005B	.37-.61	
3/4" NPT	82034	.45-.70	3/4"
1" NPT	82010	.59-1.0	1"

Metallic Lock Nuts		
Size	Part Number	
1/2" NPT	Locknut-50	
3/4" NPT	Locknut-75	
1" NPT	Locknut-100	

Optional Grommet Kits

	B10200XX*				
	Small White OVAL #24	Small Orange OVAL #25	Small Yellow #21	Small White #20	Small Red #16
MAX CORD DIA. (inch) →	OVAL (UF) .160 x .360	OVAL (UF) .230 x .440	.370	.450	.560
NM Box Catalog #			Yellow	White	Red
6212NFS	Optional	Optional	✓	✓	✓
6212NFD	Optional	Optional	✓	✓	✓
6212NFSK	Optional	Optional	✓	✓	✓
6212NFDK	Optional	Optional	✓	✓	✓

B10200XX*	
#24	#25
#21	#20
#16	

✓ = included in package

Note:
To build a grommet catalog number replace the "XX" with grommet number desired, **e.g.** B1020021

*May be ordered separately - Call for details

Related Products:

Click or scan a QR code to learn more about our products.

FS Series

Perma-Tite
Watertight

Perma-Kleen
Antimicrobial

PWDX Series

6000 Series

6100 Series

8000 Series

Factory Assembled Power Drops

Perma-Kleen Cordsets

Crane Pendants

Indoor & Outdoor Wire Mesh

Industrial Cord Reel Series

ERICSON
SAFETY IS OUR STANDARD

Ericson Manufacturing Company
4323 Hamann Parkway
Willoughby, OH 44094, USA

CERTIFIED
ISO
9001
COMPANY

1-800-ERICSON
info@ericson.com
L1000887C

ericson.com